The New Prime theorem (20)

Hardy-Littlewood prime K-tuple lonjecture

Chun-Xuan Jiang

jiangchunxuan@vip.sohu.com

Institute for Basic Research Palm Harbor, FL 34682, U.S.A.

Abstract: Using Jiang function we prove that Jiang prime k -tuple theorem is true[1-3] and Hardy-Littlewood prime k -tuple conjecture is false[4-8]. The tool of additive prime number theory is basically the Hardy-Littlewood prime tuple conjecutre, but cannot prove and count any prime problems[6].

[Chun-Xuan Jiang. **The New Prime theorem (20)** Hardy-Littlewood prime K-tuple lonjecture. *Academ Arena* 2015;7(1s): 30-32]. (ISSN 1553-992X), http://www.sciencepub.net/academia. 20

Keywords: prime; theorem; function; number; new

Jiang k **-tuple theorem**. We define prime equations

$$P, \quad P+b_i, \tag{1}$$

where $2|b_{i}, i = 1, \dots, k-1|$

Proof. We have Jiang function [1,2]

$$J_{2}(\omega) = \prod_{P} [P - 1 - \chi(P)], \tag{2}$$

where $\omega = \prod_{P} P$, $\chi(P)$ is the number of solutions of congruence

$$\prod_{i=1}^{k-1} (q+b_i) \equiv 0 \pmod{P}, \ q=1,\dots,P-1$$
(3)

From (3) we have that if $\chi(P) \leq P-2$ then $J_2(\omega) \neq 0$, there exist infinitely many primes P such that $P+b_i$, $i=1,\cdots,k-1$ are all prime; if $\chi(P)=P-1$ then $J_2(\omega)=0$, there exist finitely many primes P such that $P+b_i$ are all prime.

We have asymptotic formula [1,2]

$$\pi_k(N,2) = \left| \left\{ P \le N : P + b_i = prime \right\} \right| \sim \sigma(J) \frac{N}{\log^k N}$$
(4)

where Jiang prime k -tuple singular series

$$\sigma(J) = \frac{J_2(\omega)\omega^{k-1}}{\phi^k(\omega)} = \prod_{P} \left(1 - \frac{1 + \chi(P)}{P}\right) (1 - \frac{1}{P})^{-k}$$
(5)

Prime 2-tuple theorem. Let k = 2, $b_1 = 1$. From (1) we have

$$P, \quad P+1. \tag{6}$$

From (3) we have $\chi(2) = 1$. From (2) we have $J_2(2) = 0$. Substituting it inot (5) we have Jiang singular series

$$\sigma(J) = 0 \tag{7}$$

We prove that in (6) there is only a solution: P = 2, P+1=3. One of P, P+1 has to be divisible by 2. Additive prime number theory cannot prime prime 2-tuple theorem [6].

Twin prime theorem. Let k = 2, $b_1 = 2$. From (1) we have

$$P, P+2$$
 (8)

From (3) we have

$$\chi(2) = 0, \ \chi(P) = 1$$
 otherwise. (9)

Substituting (9) into (5) we have Jiang singular series

$$\sigma(J) = 2 \prod_{3 \le P} \left(1 - \frac{1}{(P-1)^2} \right) \ne 0 \tag{10}$$

We prove that there are infinitely many primes P such that P+2 is a prime. Additive prime number theory cannot prove the twin prime theorem [6].

Prime 3-tuple theorem. Let k = 3, $b_1 = 2$, $b_2 = 4$. From (1) we have

$$P, P+2, P+4$$
 (11)

From (2) and (3) we have

$$\chi(2) = 0, \ \chi(3) = 2, \ J_2(3) = 0$$
 (12)

Substituting (12) into (5) we have Jiang singular series

$$\sigma(J) = 0 \tag{13}$$

We prove that in (11) there is only a solution: P = 3, P + 2 = 5, P + 4 = 7. One of P, P + 2, P + 4has to be divisible by 3. Additive prime number theory can not prove prime 3-tuple theorem[6].

Remark. The prime number theory is basically to count the Jiang function $J_{n+1}(\omega)$ and Jiang prime k-tuple

$$\sigma(J) = \frac{J_2(\omega)\omega^{k-1}}{\phi^k(\omega)} = \prod_{P} \left(1 - \frac{1 + \chi(P)}{P}\right) (1 - \frac{1}{P})^{-k}$$

singular series

[1,2], which can count the number of prime number. The prime distribution is not random. But Hardy prime k -tuple singular series

$$\sigma(H) = \prod_{P} \left(1 - \frac{v(P)}{P}\right) \left(1 - \frac{1}{P}\right)^{-k}$$
 is false [3-8], which cannot count the number of prime numbers.

Szemerdi's theorem does not directly to the primes, because it cannot count the number of primes. It is unusable. Cramr's random model can not prove prime problems. It is incorrect. The probability of $1/\log N$ of being prime is false. Assuming that the events "P is prime", "P+2 is prime" and "P+4 is prime" are independent, we conclude that P, P+2, P+4 are simultaneously prime with probability about $1/\log^3 N$

There are about $N/\log^3 N$ primes less than N. Letting $N \to \infty$ we obtain the prime conjecture, which is false. The tool of additive prime number theory is basically the Hardy-Littlewood prime tuple conjecture, but cannot prove and count any prime problems[6].

Hardy and Littlewood开创素数理论新时代的猜想进行证明和否定。这是第一次, 所有数学家都认为他们 的猜想都是对的但没有证明, 今天素数理论仍保持在1923水平.

Author address in USA:

Chun-Xuan Jiang

Institute for Basic Research Palm Harbor, FL 34682, U.S.A.

Jiangchunxuan@vip.sohu.com

References

Chun-Xuan Jiang, Foundations of Santilli's isonumber theory with applications to new cryptograms, Fermat's and Goldbach's conjecture. Inter. Acad. Press. 2002. MR2004c:11001. (http://www.i-b-r.org/docs/jiang.pdf) (http://www.wbabin.net/math/xuan13.pdf)(http//vixra.org/numth/).

- 2. Chun-Xuan Jiang, Jiang's function $J_{n+1}(\omega)$ in prime distribution.(http://www. wbabin.net/math /xuan2. pdf.) (http://wbabin.net/xuan.htm#chun-xuan.) (http://vixra.org/numth/).
- 3. Chun-Xuan Jiang, The Hardy-Littlewood prime k-tuple conjecture is false. (http://wbabin.net/xuan.htm# chun-xuan)(http://vixra.org/numth/).
- 4. G. H. Hardy and J. E. Littlewood, Some problems of "Partitio Numerorum", III: On the expression of a number as a sum of primes. Acta Math., 44(1923)1-70.
- 5. W. Narkiewicz, The development of prime number theory. From Euclid to Hardy and Littlewood. Springer-Verlag, New York, NY. 2000, 333-353.这是当代素数理论水平.
- 6. B. Green and T. Tao, Linear equations in primes. To appear, Ann. Math.
- 7. D. Goldston, J. Pintz and C. Y. Yildirim, Primes in tuples I. Ann. Math., 170(2009) 819-862.
- 8. T. Tao. Recent progress in additive prime number theory, preprint. 2009. http://terrytao.files.wordpress.com/2009/08/prime-number-theory 1.pdf.
- Vinoo Cameron. Prime Number 19, The Vedic Zero And The Fall Of Western Mathematics By Theorem. Nat Sci 2013;11(2):51-52. (ISSN: 1545-0740). http://www.sciencepub.net/nature/ns1102/009 15631ns1102 51 52.pdf.
- Vinoo Cameron, Theo Den otter. PRIME NUMBER COORDINATES AND CALCULUS. Rep Opinion 2012;4(10):16-17. (ISSN: 1553-9873). http://www.sciencepub.net/report/report/0410/004 10859report0410 16 17.pdf.
- 11. Vinoo Cameron, Theo Den otter. **PRIME NUMBER COORDINATES AND CALCULUS.** *J Am Sci* 2012;8(10):9-10. (ISSN: 1545-1003). http://www.jofamericanscience.org/journals/am-sci/am0810/002 10859bam0810 9 10.pdf.
- 12. Chun-Xuan Jiang. **Automorphic Functions And Fermat's Last Theorem (1).** *Rep Opinion* 2012;4(8):1-6. (ISSN: 1553-9873). http://www.sciencepub.net/report/report/0408/001 10009report0408 1 6.pdf.
- 13. Chun-Xuan Jiang. **Jiang's function** $J_{n+1}(\omega)$ in prime distribution. *Rep Opinion* 2012;4(8):28-34. (ISSN: 1553-9873). http://www.sciencepub.net/report/report/0408/007_10015report0408_28_34.pdf.
- 14. Chun-Xuan Jiang. The Hardy-Littlewood prime *k*-tuple conjecture is false. *Rep Opinion* 2012;4(8):35-38. (ISSN: 1553-9873). http://www.sciencepub.net/report/report/408/008 10016report0408 35 38.pdf.
- 15. Chun-Xuan Jiang. **A New Universe Model.** *Academ Arena* 2012;4(7):12-13 (ISSN 1553-992X). http://sciencepub.net/academia/aa0407/003 10067aa0407 12 13.pdf.

5/1/2015