The New Prime theorem (35)

$$2P^3 + 1$$
 and $P^3 + 2$

Chun-Xuan Jiang

P. O. Box 3924, Beijing 100854, P. R. China Jiangchunxuan@vip.sohu.com

Abstract: Using Jiang function we prove that there are infinitely many primes P such that $2P^3 + 1$ and $P^3 + 2$ are all prime.

[Chun-Xuan Jiang. The New Prime theorem (35) $2P^3 + 1$ and $P^3 + 2$. Academ Arena 2015;7(1s): 64-65]. (ISSN 1553-992X). http://www.sciencepub.net/academia. 35

Keywords: prime; theorem; function; number; new

Theorem . We define prime equations

$$P_1 = 2P^3 + 1$$
 and $P_2 = P^3 + 2$, (1)

There are finitely many primes P such that P_1 and P_2 are all prime.

Proof we have Jiang function [1,2]

$$J_{2}(\omega) = \prod_{P} [P - 1 - \chi(P)] \tag{2}$$

where $\chi(P)$ is the number of solutions of congruence

$$(2q^3+1)(q^3+2) \equiv 0 \pmod{P}, \ q=1,\dots,P-1.$$

We have

$$2^{\frac{P-1}{2}} \equiv 1 \pmod{P} \tag{4}$$

If (4) has a solution then $\chi(P) = 6$. If (4) has no solution then $\chi(P) = 0$, $\chi(3) = 1$, $\chi(P) = 2$ otherwise.

We have

$$J_2(\omega) \neq 0 \tag{5}$$

We prove that there are infinitely many primes P such that P_1 and P_2 are all prime We have asymptotic formula [1,2]

$$\pi_3(N,2) = \left| \left\{ P \le N : P_1, P_2 = prime \right\} \right| \sim \frac{J_2(\omega)\omega^2}{9\phi^3(\omega)} \frac{N}{\log^3 N}$$
 (6)

Remark. The prime number theory is basically to count the Jiang function $J_{n+1}(\omega)$ and Jiang prime k -tuple $\sigma(J) = \frac{J_2(\omega)\omega^{k-1}}{\phi^k(\omega)} = \prod_p \left(1 - \frac{1+\chi(P)}{P}\right) (1 - \frac{1}{P})^{-k}$ [1,2], which can count the number of prime number. The prime distribution is not random. But Hardy prime k -tuple singular series $\sigma(H) = \prod_p \left(1 - \frac{v(P)}{P}\right) (1 - \frac{1}{P})^{-k}$ is false [3-8], which cannot count the number of prime numbers.

References

1. Chun-Xuan Jiang, Foundations of Santilli's isonumber theory with applications to new cryptograms, Fermat's theorem and Goldbach's conjecture. Inter. Acad. Press, 2002, MR2004c:11001, (http://www.i-b-r.org/docs/jiang.pdf) (http://www.wbabin.net/math/xuan13.pdf)(http://vixra.org/numth/).

- 2. Chun-Xuan Jiang, Jiang's function $J_{n+1}(\omega)$ in prime distribution. (http://www. wbabin.net/math /xuan2. pdf.) (http://wbabin.net/xuan.htm#chun-xuan) (http://vixra.org/numth/).
- 3. Chun-Xuan Jiang, The Hardy-Littlewood prime k -tuple conjecture is false.(http://wbabin.net/xuan.htm# chun-xuan) (http://vixra.org/numth/).
- 4. G. H. Hardy and J. E. Littlewood, Some problems of "Partitio Numerorum", III: On the expression of a number as a sum of primes. Acta Math., 44(1923)1-70.
- 5. W. Narkiewicz, The development of prime number theory. From Euclid to Hardy and Littlewood. Springer-Verlag, New York, NY. 2000, 333-353.这是当代素数理论水平.
- 6. B. Green and T. Tao, Linear equations in primes. To appear, Ann. Math.
- 7. D. Goldston, J. Pintz and C. Y. Yildirim, Primes in tuples I. Ann. Math., 170(2009) 819-862.
- 8. T. Tao. Recent progress in additive prime number theory, preprint. 2009. http://terrytao.files.wordpress.com/2009/08/prime-number-theory 1.pdf.
- 9. Vinoo Cameron. Prime Number 19, The Vedic Zero And The Fall Of Western Mathematics By Theorem. *Nat Sci* 2013;11(2):51-52. (ISSN: 1545-0740). http://www.sciencepub.net/nature/ns1102/009 15631ns1102 51 52.pdf.
- 10. Vinoo Cameron, Theo Den otter. PRIME NUMBER COORDINATES AND CALCULUS. *Rep Opinion* 2012;4(10):16-17. (ISSN: 1553-9873). http://www.sciencepub.net/report/report/0410/004 10859report0410 16 17.pdf.
- 11. Vinoo Cameron, Theo Den otter. PRIME NUMBER COORDINATES AND CALCULUS. *J Am Sci* 2012;8(10):9-10. (ISSN: 1545-1003). http://www.jofamericanscience.org/journals/am-sci/am0810/002 10859bam0810 9 10.pdf.
- 12. Chun-Xuan Jiang. Automorphic Functions And Fermat's Last Theorem (1). *Rep Opinion* 2012;4(8):1-6. (ISSN: 1553-9873). http://www.sciencepub.net/report/report/0408/001 10009report0408 1 6.pdf.
- 13. Chun-Xuan Jiang. The Hardy-Littlewood prime *k*-tuple conjecture is false. *Rep Opinion* 2012;4(8):35-38. (ISSN: 1553-9873). http://www.sciencepub.net/report/report/0408/008 10016report0408 35 38.pdf.
- 14. Chun-Xuan Jiang. A New Universe Model. *Academ Arena* 2012;4(7):12-13 (ISSN 1553-992X). http://sciencepub.net/academia/aa0407/003 10067aa0407 12 13.pdf.

Szemerdi's theorem does not directly to the primes, because it can not count the number of primes. It is unusable. Cramr's random model can not prove prime problems. It is incorrect. The probability of $1/\log N$ of being prime is false. Assuming that the events "P is prime", "P+2 is prime" and "P+4 is prime" are independent, we conclude that P, P+2, P+4 are simultaneously prime with probability about $1/\log^3 N$.

There are about $N/\log^3 N$ primes less than N. Letting $N\to\infty$ we obtain the prime conjecture, which is false. The tool of additive prime number theory is basically the Hardy-Littlewood prime tuple conjecture, but cannot prove and count any prime problems[6].

Mathematicians have tried in vain to discover some order in the sequence of prime numbers but we have every reason to believe that there are some mysteries which the human mind will never penetrate.

Leonhard Euler(1707-1783)

It will be another million years, at least, before we understand the primes.

Paul Erdos(1913-1996)

Hi Mr. Jiang,

I looked at your work. Your work seems is divided into two different groups in term of opinions.

I'm a mathematican and would like to discuss your work with you and hope you are interested. I personally met with Erdos several times and is wondering why your work was not noticed by him before he died? Looking forward to hearing from you.

Thank you!

Bill Yue, Ph. D. SASPM

5/1/2015