

North Interior Karnataka Indian Weather Time Scales

Gangadhara Rao Irlapati

H.No.5-30-4/1, Saibaba Nagar, Jeedimetla, Hyderabad – 500 055, Telangana State, India

Email ID: scientistgangadhar@gmail.com

History: I have conducted many researches on the Indian weather and proposed hundreds and thousands of Indian weather Time Scale pertaining to the all Homogeneous Regions, Meteorological Subdivisions, states and districts of India which can help to forecast the weather changes in advance in 1980, Sri G. Surya Rao MLA had sent these Indian weather time scales to the chief minister of Andhra Pradesh for consideration and necessary action in 2004, some consultations were made with the planning department to implement the Indian weather time scale at the directorate of Economics & Statistics department in 2006, some correspondences were made with the environment, forest, science & Technology department for implementation of the Indian weather time scale the same scales were sent to the chief minister of Andhra Pradesh in 2003. And the same was again submitted to the chief minister of Andhra Pradesh in 2006. Many consultations were made with the commissioner for disaster Management in the years of 2008,2009 about the implementation of Indian weather time scale. In 2010, these scales were consulted with the A.P state council of science & Technology in 2008, Sri T. Subbirami Reddy, Honable Union Minister of state had recommended the Indian weather time scale to the Indian Meteorological department for implementation in the services to the country. Later consultations were made with the India meteorological department about the Indian weather time scale during the years of 2008-2008.

Abstract: I have conducted many extensive researches on the astronomical forces and its effects on the earth climate particularly on various regions of the India. The variations in the solar cycle affects and stimulate the earth climate. The moon affects and stimulate the ocean tides and atmosphere too. The movement of axis of the earth inclined at $23\frac{1}{2}$ degrees from vertical to its path around the sun affects and stimulate the earth weather and leads to formation of monsoons and seasons etc. So the astronomical forces affect and stimulate the earth climate it may be more or less but it is true. These scales may be taken as a part of scientific study of astronomical forces & its effects on the earth climate.

[Gangadhara Rao Irlapati. **North Interior Karnataka Indian Weather Time Scales.** *Academ Arena* 2018;10(3s): 263-269]. (ISSN 1553-992X). <http://www.sciencepub.net/academia>. 35. doi:[10.7537/marsaaj1003s1835](https://doi.org/10.7537/marsaaj1003s1835).

Keywords: Indian weather, astronomical forces.

Introduction:

In the time and scale of the universe some things from astronomy to atom including living beings have been repeating once in every certain time or period. For example, the south and north magnetic poles have been shifting in every certain period. The sun spots have been repeating once in every eleven years. The lunar and solar eclipses have also been occurring once in every 18.6 years. The seasons such as winter, autumn etc. also have been repeating once in every year in the same month of the year. The periodical menses in the females repeating once in every month.

Construction: On the basis of the said universal facts, I have prepared a time scale with 21 blocks, each block containing certain prescribed cycle of years in which similar calendar years repeating one after another that leads similar weather conditions of those previous years to future years likely repeating every year approximately. The rainfall of the years, have been entering in the scale in percentages or as it is pertaining to month, season, annual wise of the each and every year. If we managing the scale in this manner continuously, we may assuming the weather

conditions of the anterior years on the basis of the posteriors years weather. On the basis of the principle, we can assume that a considerable, of course it may be little chance of predication for an ensuing years by study the data of earlier years.

Studies Carried Out: Many experiments were carried out on the Indian weather Time Scale and it was successfully proved out.

Firstly, see the Indian weather time scale. In this scale, the June, July, August and September months of the summer monsoon season were taken in a table in which the each month is also divided into three parts the Telangana, Rayalaseema and Coastal Andhra regions. The monthly wise rainfall data of the months of the regions from 1870 to till available years are taken in the form of percentages or as it is and entering in the scale pertaining to the region wise of the each and every year. If we managing the scale in this manner continuously, we may assuming the weather conditions of the anterior years on the basis of the posterior years weather.

Example for assuming the dry season or suppose to predict the rainfall situation in the summer season

of the ensuing year 2019: study the 7th cycle in which wet conditions in 10 years and dry conditions in 14 years were occurred in the month of June: wet conditions in 2 years and dry conditions in 22 years were occurred in the month of July: wet conditions in 4 years and dry conditions in 20 years were occurred in the month of August and wet conditions in 8 years and dry conditions in 16 years were occurred in the month of September. On the whole, wet conditions in 24 times and dry conditions in 72 times repeated in the summer monsoon season of the 7th cycle (As a result, there were dry conditions occurred in the 2002 year also). Therefore it is a considerable chance to predict that a dry season will be repeated in the ensuing year of 2019.

Example for assuming the wet season or suppose to predict the rainfall situation in the summer season of the ensuing year 2022: study the 10th cycle in which wet conditions in 13 years and dry conditions in 8 years were occurred in the month of June: wet conditions in 13 years and dry conditions in 8 years

were occurred in the month of July: wet conditions in 9 years and dry conditions in 12 years were occurred in the month of August and wet conditions in 19 years and dry conditions in 2 years were occurred in the month of September. On the whole, wet conditions in 54 times and dry conditions 30 times were repeated in the summer monsoon season of the 10th cycle. As a result, there were wet conditions occurred in the 2005 years also. Therefore, it is a considerable chance to predict that a wet season will be occurred in the ensuing year of 2022.

In the same manner, we can study the remaining All Indian weather time scales of all Homogeneous regions and subdivisions, states and districts of India.

Conslusions:

We can make many more modifications thus bringing many more developments in the Indian weather time scale and its all additional Indian weather time scale.

	2020	June			July			August			SEPTEMBER			OVERALL SEASON						REMARKS
		T	R	C	T	R	C	T	R	C	T	R	C	T	R	C				
1	1992	77.18	-9.5	-54.0	-39.2	+5	-15.8	+4.70	-11.2	-10.8	-35.2	-19.1	-26	-1	-12	-6				
	1964	-31.6	+21.3	-15.0	-36.6	+108	-13.4	799.5	-17.8	-11.8	+1503	+139	+95.4	+17	+16	+44				
	1936	+31.7	-9.16	-13.0	-14.1	-35.3	-7.00	-12.5	-65.7	-32.3	+7.82	+21.2	-39.2	-3	-29	-5				
	1908	-32.3	-62.9	+69.9	+5.8	-29.4	-50.9	-9.13	-57.2	-25.2	+10.8	+84.9	+48.4	+38	-9	-2				
	1880	+21.5	+15.2	-99	-24.0	-50.2	-46	-60.7	+2.63	-99.4	+56.2	+19.7	-51	-11	-18	-30				
2	2017																			
	1995	-1.01	-11.5	-36.2	-13.6	+6.5	-20.9	-46.7	-20	-23.0	-71.7	-17.3	-49.3	-33.5	-27.1	-16.3				
	1978	-78.2	-7.7	+26.2	-1.17	+57.5	+6.9	+47.0	-13.1	+31.7	+169.0	+100	+8.0	+50	+37	+55				
	1961	+34.0	+27.8	+70.9	-37.9	+32.9	-24.3	-8.35	-4.9	+13.3	+20.0	-49.6	-6.1	+12	+1	+30				
	1939	-38.0	-20.5	-38.2	-44.6	-34.6	-42.3	-27.5	+13.9	7396	-3.95	+81.7	-13.5	-28	-12	-23				
	1922	-12.3	-50.4	-90.2	-27.6	-516	-31	-36.8	-30.3	-42.0	+22.6	-1.2	-48.3	-18	-29	-15				
	1905	-17.6	+8.61	-29.3	-64.4	-62.2	-72.7	+16.8	+103	-10.5	734.8	-58.1	-6.5	-5	-4	-18				
	1883	+60	+23.3	-25.1	-8.24	-23.5	-55.1	+32.2	+36.4	-10.6	+85.1	-32.1	-56.6	+31	-4	-21				
3	2024																			
	1996	+13.5	+29.4	+13.7	-32.4	-21.4	-17.3	+21.1	+96.6	-9.8	-4.49	+51.2	+19.3	-3.6	+83.1	+46				
	1968	-330	-28.3	-38.7	-28.0	-39.4	-38.4	-82.5	-34.2	-99.4	+1.007	+55.6	-26.6	-20	-18	-39				
	1940	-19.8	+24.3	-2.0	+9.24	-159	-34.0	-89.9	-33.9	-18.4	-26.2	+35.0	-21.5	-5	-5	-3				
	1912	-61.1	-53.3	-74.3	+12.5	-20	-5.6	-11.8	+20.0	+15.3	-12.1	+41.4	70.3	-15	+1	+10				
	1884	-38.8	-53.7	-69.4	+40.7	-43.1	-33.7	-23.1	-25.0	-15.3	+65.6	-30.9	+8.1	+12	-48	-1				
4	1999	-24.2	-25.8	-13.9	-23.5	-30.1	-48.8	-2.28	+7.8	-40.9	+25.8	-24.0	-18.4	-9.1	-20	-15.9				
	1982	+5.15	+59.3	-34.4	+27.6	+0.5	-24.1	-28.6	-66.3	-40.9	+12.4	+17.0	-27.0	+1	-5	+13				
	1965	-51.1	+40.2	-36.6	-44.5	-23.3	-24.2	-27.0	+2.08	-9.7	+80.8	-7.04	72.0	+10	+3	+3				
	1943	+13.5	-54.8	-20.8	-31.4	-30.9	-35.8	-50.5	-9.5	+27.8	+99.1	+1.76	-14.9	-5	-20	-20				
	1926	-69.7	+32.3	+298.6	-10.8	-33.5	+1.8	-19.4	-31.4	-36.5	-18.6	-36.7	-5.3	-25	-2	-1				
	1909	-6.87	-45.4	-32.6	+0.71	-45.4	-22.4	-35.9	+2.06	-4.5	+1.24	+26	+4.3	-12	+44	+7				
	1887	+20.1	+165	+2.4	-23.5	+5.41	-32.6	783.3	+133	+506	+148.0	+16	+31.9	+49	+62	+40				
	1870		+11.5	-64.1		-89.5	-42.4		+50.6	-22.8		-58.1	+25.5	-29	+25	-7				
5	2000	+56.9	+75.4	+47.8	-22.9	-7.8	-34.8	+66.5	+145	764.9	-57.0	-25.1	-57.9	+11	+39	+23				
	1972	70.93	+39.5	-77.6	-42.6	-67.6	-49.6	-58.4	-85.1	+29.9	-37.2	+39.9	+446.6	-1	-24	-34				
	1944	-17.7	+99.9	-0.2	-1.96	+5.6	-17.4	-310	+33.6	-35.4	+74.8	-1.92	-10.9	-39	+15	-2				
	1916	+42.2	-36.5	-2.4	+9.79	+12	+36	-24.3	+17.9	-11.5	+92.0	+54.0	-38.4	+19	+45	+18				
	1888	-18.3	-55.3	-56.2	-4.76	-53.2	-32.5	-43.6	-42.2	-57.4	-49.3	+72	-57.6	-26	-14	-39				
6	2018																			
	2001	714.4	-61.8	-13.4	-6.5	-44.4	-52.0	-53.8	-22.4	-94.3	-28.4	+10.9	+15.1	-25.1	+2.1	-1.2				
	1979	-18.7	-26.9	-23.0	-530	-40.4	-60.9	-50.4	-578	-64.2	+99.3	+37.8	+12.1	-8	-20	-21				
	1962	-48.5	+54.0	-36.1	-24.9	-47.1	+2.5	-27.6	+6.1	-10.5	+103	+4.4	+58.9	+14	-11	+30				
	1945	+17.1	-58.3	-87.7	+14.2	+112	-6.7	-2.23	+17.7	-26.6	+18.9	-15.6	+6.3	+8	+15	-1				
	1923	-80.1	-11.2	-75.5	+3.97	-53.4	-57.5	-54.2	-80.7	-99.4	+73.8	+33.5	-99.3	-17	-29	-13				
	1906	+95.6	+57.6	+180.6	-10.7	+18.0	-34.9	-3.33	+13.8	+10.9	+34.8	+47.4	-45.6	+10	+29	+18				
	1889	-16.6	-25.8	+50.1	+2.55	+43.6	-27.4	+24.0	+28.8	-33.2	+76.8	+17.8	+45.2	+18	-34	+23				
7	2019																			
	2002	-23.0	+16.5	+478	-70.2	-50.1	-69.6	+5.43	-44.2	+64.9	-58.4	-23.4	57.9	-37.1	-31.5	-35.1				
	1985	+19.3	-21.8	-4.6	-15.4	-85.6	-6.8	-44.5	-18.3	-24.8	-39.2	-62.0	-44.1	-23	-20	-4				
	1963	-24.0	-7.7	-36.3	-43.0	+4.5	-22.2	-25.0	+60.6	-7.2	-27.1	-35.4	-4.3	+11	+2	-3				
	1946	+270	-31.6	-22.0	+5.69	-39.7	-9.8	-18.3	-16.6	-30.5	-47.4	+6.4	-16.1	-8	-20	-15				
	1929	-31.6	-20.2	+46.2	-56.6	-44.5	-65.4	-39.9	-69.5	-22.5	+79.3	+58.1	-4.1	-18	-12	-3				
	1907	722	-19.7	+48.8	-42.6	-19.7	-35.1	?	-74.6	-53.6	-18.4	-1.2	-64.4	-8	-28	-19				
	1890	+1.86	+84.1	+2.3	-7.57	-11.6	-39.7	-25.0	+9.21	-50.7	+78.5	+38.5	-30.7	+10	+22	-15				
	1873	-13.5	-47.7	-48.2	-64.5	-53.2	-39.4	-31.5	-24.7	-16.7	+39.8	+25.6	-39.9	-27	-19	-20				

B	JUNE			JULY			AUGUST				SEPTEMBER				OCTOBER		REMARKS
	T	R	C	T	R	C	T	R	C	T	R	C	T	R	C		
2025																	
2003	+11.3	-14.8	-21.6	-7.57	+22.3	-0.9	77.85	-6.2	-28.8	-1.86	-20.1	-13.2	-8.2	-5	-3	+3.2	
1986	79.92	+5.6	-19.6	-21.4	-28.4	+52.9	+47.3	-54.8	+31.1	-34.3	+20.3	-43.6	-1	-5	-3		
1969	+6.09	+11.3	-37.4	77.99	+11.0	-5.0	-26.4	+53.5	-57.1	-78.9	-73.9	-20.6	+9	+44	-22		
1947	-56.9	-16	-46.5	-29.3	+25.6	-3.5	-25.0	+85.6	-7.2	764.9	70.8	+28.8	+35	-3	+19		
1930	740.5	+42.7	+39.8	-46.6	-61.0	-44.4	-41.8	-62.7	-48.7	+41.0	+35.1	-17.6	-17	-39	-6		
1913	-32.1	-66.5	-13.3	+25.3	-18.9	-9.7	-48.6	-69.7	-63.8	-3.9	-3.52	-33	-18	+74	-17		
1874	-45.9	+39.5	+7.3	-4.1	+50.6	-13.4	-43.8	-56.1	-59.8	+15	+252.0	+32.3	-2	-12	+14		
2004																	
1976	-30.7	-2.6	-63.3	+77.3	-23.9	+24.8	+2.73	+83.1	+17.4	20	-54.4	-52.3	+18	2	+7		
1948	-69.0	-48.1	-61.5	-45.8	-35.6	-26.6	-58.7	-15.6	-48.9	+66.3	-19.3	-8.1	-10	-30	-19		
1920	-39.6	-39.5	-42.8	-40.6	-71.8	-99.4	+55.5	-36.6	-47.4	-22.7	+24.3	-35.6	66	-30	-38		
1892	+20.1	+16.5	+2.4	-23.5	+5.41	-32.6	783.3	+133.1	+50.6	+148.0	+16	+31.9	+49	+62	+40		
2005																	
1983	+7.42	+17.6	+19.8	+2.92	-88.9	+7.0	+85.1	+77.8	+22.4	+127	+160	+39.6	+51	+65	+50		
1960	-29.2	+5.97	-12.1	-39.3	+23.1	-17.2	-67.6	-88.5	-59.9	7105.2	+167	+60.4	-9	+29	+12		
1949	-26.3	+51.6	-8.4	-24.4	+13.7	+3.1	-11.9	+29.5	+6.9	+106.1	+109.0	+61.1	+5	+50	+47		
1927	+55.6	+25.9	+34.2	+4.10	+26.3	-23.5	-35.7	+46.0	-9.3	+7.67	+94.1	+16.4	+1	+24	+23		
1910	+81.6	-22.2	+20	-36.6	+76.6	+2.1	-34.1	+62.9	-17.8	+76.6	+55.2	+4.8	+10	+45	+22		
1893	+42.3	+53.4	-13.4	+10.5	+98.2	-55.1	+67.6	-35	-10.6	+15.0	-8.96	-56.6	+45	+16	+19		
1871	-41.2	-59.5	+399.6	-44.5	+31.0	+65.6	-77.8	+6200	99.9	+65.4	+26.6	+71.4	-36	-7	-18		
2006																	
1989	+71.8	-47.9	-20.3	+72.1	+26.5	+80.2	+2.64	79.6	-10.5	753.3	+59.8	-99.3	+43	+49	+42		
1967	+17.4	-25.4	-1.7	+51.5	+6.11	-0.4	-25.2	-72.2	55	+28.3	+8	-16.7	+19	-10	+2		
1950	-51.7	-12.2	-40.7	-39.7	-20.8	-9.4	-67.6	-7.19	-59.9	+31.5	+11.3	+2.8	+1	-5	-9		
1933	+87.3	-76.1	-52.5	+116	-18.9	-6.9	-22.9	+80.3	-29.6	749.7	-48.4	-32.1	+11	-11	-5		
1911	+0.78	+3.47	-22.9	-36.6	-26.4	-22.2	-28.4	-59.8	-62.5	+1.00	-22	-13.5	-20	-32	-18		
1894	+7.8	-45.4	-8.2	+25.4	+15.3	-51.4	+14.6	-78.6	-31.4	+3.0	-17.3	-0.06	+19	+11	-7		
1877	-43.2	+5.41	-70	-75.6	-65.4	-53.4	-58.5	-48.5	-56.3	+15.9	+7.20	+21.4	-39	-19	+21		
2007																	
1990	+48.6	-29.3	-9.3	-39.0	-45.2	-54.4	+49.2	-2.2	+6.1	+10	+32.3	-99.3	+11	+8	-2		
1973	+0.31	+0.5	-33.6	-9.41	-29.8	-48.7	+42.2	+15.4	-19.9	-40.0	+10.1	-31.5	+1	-8	-21		
1951	-17.0	-15.9	+3.1	-5.77	-7.8	+28.6	-405	-62.2	-26.4	-0.3	-33.6	-31.4	-10	-33	+11		
1934	-3.04	+25.6	-4.5	+22.8	+27.0	+5.9	+0.3	-68.0	-18.8	+11.5	-62.4	-40.4	+5	-30	-1		
1917	+43.9	+36.3	+87.7	+7.94	-38.8	-38.4	-17.2	+52.1	+3.2	+11.3	+22.0	+30	+25	+17	+38		
1895	-17.5	-44.5	-21.4	-7.9	+27.6	-17.4	-15.4	27.6	4.8	-60.3	+41.3	+25.5	+45	+2	+19		
2008																	
1980	+66.0	-17.6	+80	-34.3	-28.4	-11.6	-99.9	2017	-6.6	+2.48	-447	-37.1	+5	-25	+20		
1952	-50	+34	-37.8	-59.7	-45.3	-45.0	-60.4	-42.1	-51.0	-40.1	-63.6	-53.2	-30	-41	-39		
1924	-4.86	-58.8	-56.6	-36.1	-13.3	-45.2	-16.7	-38.6	-32.8	+105.9	+81.4	+7.4	-7	-3	+8		
1896	-34.0	-32.3	-22.8	-18.7	-38.8	-29.3	+0.18	21.8	-25.3	+08.2	-31.2	-16.5	-24	-32	6		
2009																	
1987	-31.1	-36.5	-53.8	-12.6	-6.2	-53.6	+0.63	+30	-20.9	-52.1	-18.0	-60.6	-18	-21	-33		
1970	775.9	-5.1	+41.5	-39.9	-2.8	-39.7	+63.4	+77.2	+9.0	+36.3	+83.0	+477.5	+25	+39	-5		
1953	-20.3	-26.5	+0.8	-56.1	+4.1	-40.1	-35.7	48.4	-20.4	714.6	+54.8	-10.3	+25	+10	-3		
1931	+50	-440	+768.9	+123	-2.70	-24.0	+38.0	26.8	+39.2	+14.3	-33.2	+12.8	+18	-11	-12		
1914	7159.0	-13.6	-7.9	+11.6	-23.1	-19.7	-6.43	+42.1	31.3	+67.9	+60.8	+44	+27	+20	+18		
1897	-34	-42.6	-57.2	+47.5	-9.47	-48.1	-34.6	+32.1	-26.5	+42.4	+12.8	+39.4	-1	+35	-2		
1875	-	+11.5	-64.1	-89.5	-47.4			+50.6	-22.8		+58.1	+25.5	-29	+25	-7		
2010																	
1993	-37.1	-46.1	-58.6	-17.1	+19.3	-36.9	-27.9	+43.4	-40.1	-2.40	+9.9	-1.8	-17.5	-12.8	-6.3		
1971	77.89	-31.3	-32.3	-61.3	-26.6	-57.4	-19.4	25.4	-24.6	-14.3	-46.7	+5.1	-29	-35	-10		
1954	-27.1	-54.6	-9.4	-30.0	+93.4	-4.8	-40.2	-17.3	-26.6	778.9	-52.8	739.9	+24	-10	+19		
1937	-60.8	+16.9	-89.6	+10.9	-0.48	-35.2	-43.5	+63.1	-31.4	+11.3	+86.7	+444.8	-18	-11	-28		
1915	+99.4	-39.0	+18.1	-15.2	+58.2	-24.4	-8.40	-49.2	+24.4	-12.6	+58.3	-14.9	+10	+6	+21		
1898	-20	-37.2	+5.3	+47.8	-30.2	-18.1	-34.6	-42.1	-51.4	+42.4	+106.4	-8.5	+18	+3	-3		
1881	-18.9	+15.0	+41.2	-56.7	-78.3	-73.3	-34.2	+75.1	-123	+41.0	+12	+10.4	-36	+5	+4		
2011																	
1994	-29.0	-40	-55.7	-20.0	-98.9	-9.7	+6.71	-10.8	-37.2	-71.7	-71.3	-49.3	-23.5	-34.9	-21.4		
1977	70.93	+39.5	-17.6	-42.6	-67.6	-49.6	-58.4	-85.1	+22.99	-37.2	+39.9	+446.6	-39	-24	-34		
1955	-49.8	-48.3	-37.6	-55.5	+17.2	-39.2	-16.5	+94.7	+3.2	+29.2	+10.6	+1.0	+35	+20	+3		
1938	295.6	233.3	+25	715.8	-34.1	-36.1	+25.8	+13.9.8	77.7	+89.8	+81.7	782.2	+48	+68	-45		
1921	+44.2	-4.16	-39.8	-660	+75.5	+2	-47.2	+45.7	-30.7	+50.6	-23.2	+2.5	-1	-5	+13		
1899	-17.2	-85.4	-57.8	-74.7	-88.4	-68.4	-38.1	-37.7	-34.1	-10	+43.5	-22.9	-43	-36	-32		
1882	+20.1	+165	+2.4	-23.5	+5.41	-32.6	783.3	+133.1	+50.6	+148.0	+16	+31.9	+49	+62	+40		
2012																	
1984	-34.6	-56.1	-37.4	+0.50	+49.4	-15.2	-58.5	-84.1	-71.6	+24.6	-22	-37.8	-20	-30	+23		
1956	76.875	+21.8	+32.8	70.96	+80.9	+37.8	-30.7	-38.4	-14.3	+503.6	+38	+19.6	+24	+20	+40		
1928	+37.3	+21.8	-56.2	-21.5	-38.5	-20.2	-27.5	-17.4	-29.7	+102	-3.44	+9.5	+9	-5	-2		
1900	-10.9	-30.1	-47.8	+29.3	+48.5	-19.3	-38.7	-78.6	-63.6	+90.3	+53.8	+10.0	+10	-2	-12		
1872	-44.5	-13.6	-0.2	-29.9	-17.7	-18.1	-45.0	-99.1	-9.49	+44.4	+54.3	+16	-25	+4	+18		

	June			July			August			SEPTEMBER			OVERALL SEASON			REMARKS
	T	R	C	T	R	C	T	R	C	T	R	C	T	R	C	
18	2013															
	1991	+42.1	+17.7	+64.5	-11.9	-16.1	-30.2	-39.0	-17.8	-93.7	+1.31	-11.6	+32.7	-9.6	+14.7	+22.6
	1974	-26.6	-5.5	-14.3	-46.9	-12.2	-99.9	-22.6	-20.7	-37.2	+17.6	+10.3	+33.6	-24	+19	
	1957	-16.9	+19.5	+45.3	-49.0	-12.9	-30.4	-1.91	-26.6	+21.3	+12.4	-22.4	-12.1		+8	+24
	1935	-6.87	+43.4	-45.1	+11.5	+4.16	-30.6	-31.1	+138.8	+346.3	+51.0	-11.3	-21.8	+2	+35	-24
	1918	-93.3	-45.9	-16.8	-46.1	-56.3	-62.1	-57.0	-38.2	-40.5	+1.00	+18.1	-13.2	-40	-29	-20
	1901	-21.0	-6.25	-40.7	-11.5	-69.7	-43.8	-16.3	+10.4	-42.2	-44.0	+30.1	-28.9	-19	-29	-24
	1879	-8.51	+18.8	+3.2	-27.8	+48.1	-116.5	+31.4	-10.4	-99.4	+56.7	+19.7	-51	-9	-6	-16
19	2014															
	1997	-59.7	+7.9	-65.1	-40.2	-54.2	-37.2	-33.8	-40.7	-48.2	+10.6	+134	+109	-33.2	+14.1	+15
	1975	-15.4	-4.9	+53.8	+7.44	+48.3	-16.3	-10.9	-14.9	-28.5	+149	+31.6	+7.2	+21	+11	+20
	1958	-60.6	-19.5	-42.3	-10.1	-16.7	+22.7	-32.0	+105	-15.9	+13.0	-10.4	-12.7		+8	+10
	1941	+18.0	-47.0	+82.5	-67.5	+578	-70.2	-33.4	-48.3	2269	+37.2	+53.6	+1.2	-32	+8	-5
	1919	+26.6	+6.66	-20.1	-41.1	+57.3	-19.7	-55.7	-80.0	-49.2	+457	+10.7	-26	-32	+2	-15
	1902	-36.6	-27.6	-47.8	-48.6	-13.6	-35.5	-12.1	-55.7	-99.4	+26.3	-13.2	+15.1	-19	-17	+4
	1885	-20.7	+19.4	-4.2	-14.1	+11.8	-31.5	-47.8	-41.8	-67.3	+38.5	-25.4	+5.5	-18	-18	-10
20	2015															
	1998	71.32	-529	-34.5	-21.5	-58.6	29.8	+15.4	+20.2	+5.1	+49.0	+70.6	+56	-50.9	+37	+25.3
	1981	+36.3	-0.6	-26.9	+1.12	-5.9	+10.0	+7.12	-7.6	-28.9	+105.1	+61.2	+24.6	+26	+10	+25.3
	1959	-4.76	+76.3	+18.3	-11.5	+9.27	+20.5	-34.2	-165	-30.9	-99.9	+136	-28.8	+40	+10	+12
	1942	74.76	+42.7	-12.1	-7.78	-66.7	-47.9	+22.4	-13.1	-18.4	-44.5	-24.6	+34.2	-4	-20	-20
	1925	6.28	-47.2	+1.0	+2.38	-9.2	-10	-4.33	+19.1	+2.4	-0.54	-18.4	+386	-2	-14	+4
	1903	-25.7	-680	+22.6	+54.0	-46.8	+10.2	+34.8	+30.3	+8.0	+5304	+72	+7.0	+45	+39	+37
	1886	+60.9	+3.88	+25.1	+26.6	+69.4	-4.2	+40.6	+40.1	+55.3	-39.9	+9.04	-99.3	+24	+21	+38
21	2016															
	1988	-14.2	-57.0	-57.4	+10.7	+77.7	+33.6	-25.9	+12.7	+19.4	+136	+33.4	+37.4	+65	+50	+41
	1966	-54.9	+67.3	-32.8	715.4	+14.3	+32.3	-7.57	+0.5	+6.1	+61.3	+14.8	-27.2	+3	+20	+9
	1932	+13.2	-629	-13.1	73.97	-24.1	-13.7	+20.1	+22.0	-36.2	+52.6	-20.32	-32.4	+1	-10	-18
	1904	+15	-33.4	-42.5	-4.6	-22.1	-51.4	-69	-83.0	-38.0	+36.9	-39.6	-41.5	-24	-55	-30
	1876	-42.2	-20.8	-33.3	-34.7	73.6	-52.1	-31.8	-42.4	-99.9	-40.6	-71.1	-50.4	-38	-53	-19

North Orléans, Louisiana

	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
1770	-100	181.4	146.7	-53.8	-89.4	-17.0	106.6	-20.8	-14.5	1.4	-72.9	232.9
1771	-100	890.3	-11.4	34.0	17.5	31.5	233.9	52.2	-10.4	91.0	145.1	232.7
1772	-100	144.4	-73.4	-10.8	-63.8	71.3	28.0	-7.8	48.9	-7.1	-100	126.2
1773	-100	-100	-81.0	48.8	-83.8	73.4	28.2	46.2	-25.2	-78.6	-56.3	-100
1774	-100	-100	-87.0	-21.7	-82.4	39.3	60.0	-50.3	32.3	-17.4	-97.2	978.7
1775	-100	-85.1	-37.0	-43.8	0.8	22.9	-19.6	-30.3	24.2	35.5	53.4	3.2
1776	-21.0	-100	-64.5	100.3	235	201.3	53.3	0.7	-46.1	-44.2	-32.4	-100
1777	-100	-100	25.0	25.0	25.0	-19.3	-19.3	-6.3	30.2	61.8	-100	-100
1778	-100	-11.8	95.1	23.4	12.5	37.4	24.2	109.4	-25.2	23.9	-18.7	-100
1779	400	-100	-70.0	-4.6	12.8	35.4	23.10	10.1	-46.1	23.7	-48.3	-100
1780	53.0	206.3	-25.6	-3.6	12.8	35.4	23.10	10.1	-46.1	23.7	-48.3	-100
1781	-34.6	511.1	4.8	27.7	1.4	12.8	35.4	23.10	10.1	-46.1	23.7	-100
1782	-100	318.5	-25.8	-24.3	41.6	60.2	53.5	121.2	-67.0	-7.1	97.2	-72.4
1783	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1784	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1785	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1786	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1787	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1788	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1789	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1790	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1791	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1792	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1793	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1794	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1795	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1796	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1797	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1798	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1799	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100
1800	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100	-100

